




#### Overview:

The QShare 2 is a stand-alone model with an HDMI output, that allows up to 8 users to connect with QShare buttons with two user sharing at a time. The QShare 2 are bulit-in Android system to get the writing, mark-out, and touch control etc features.

### **Features**

 One button to share your computer (Windows and Mac) and interactive (from conference tablet to touch control your computer)



♦ Mark your pictures, video, excel, word and PPT etc.



♦ Wireless presentation for Windows, Mac, Android & IOS mobile phone.



### Diagram



## Application

Conference room, Auditorium, Meeting Room, Classroom



Specification

# VISSONIC

Mirror Transmission and Display by Network								
Configuration	Same local area network, No need to install software							
Support System	Android, IOS							
Resolution	1080P							
Frame Rate	Audio/video 30 frames							
System Delay	120~180ms							
Max. display channel	2 channel and POP mode							
Network Connection	Recommend RJ45 or 5GWIFI(built-in 5G WIFI AP)							
USB Wireless transmission and display								
Configuration	No Configuration and installation, dual WIFI: 5.8G AP or 5.8G STA							
Interface	USB Device							
Support System	Windows XP/7/8/10,Apple Mac, Linux							
Resolution	1080P							
Frame Rate	Audio/video 30 frames							
System Delay	100~200ms							
Display Mode	Support extended Desktop							
Touch Control	Max.10 point touch control (Windows 7/8/10)							
	Touch as mouse control (Windows xp,Mac)							
Max. Connection	1~8(Support more connection expansion by adding router)							
Max. display channel	9 windows/POP							
Wireless speed rate	Transmitter terminal 300Mbps							
Wireless transmission	•							
protocol	IEEE 802.11 a/g/n							
Frequency band	5.8G							
Encryption	AES							
Verification	WPA2-PSK							
Video/Audio								
Video decoding	Support H.264,H.265,VP8,RV,WMV,AVS,H.263,MPEG4							
Decoding Resolution	1080P							
<b>Touch Control System</b>								
Interface	USB HID	Mouse	Support					
Infrared Touch Screen	Support	Capacitive touch screen	Support					
Operation System								
System Version	Android 11	USB	3					
Center Processor	ARM Cortex A55 x 4	HDMI Output	1					
Memory	2G DDR3	3.5mm Audio	1					
		Output						
Storage	8G	CPU	2.0GHz					
HDMI input	1	RS232	1					
Wired Network	RJ45	IR Remote	1					
SoftAP	802.11n 5.8G AP	Wifi	Share with SoftAP					
HDMI Output								

# VISSONIC

Resolution		4K60					
Power Supply							
Input		DC: 12V1A		Max.Consumption	12W		
Physical Characteristic							
Size (L*H*W)		190*112*43mm		Packing Size(L*H*W)			
Goss weight		0.6kg		Net Weight	0.5kg		
Accessories							
Power Adaptor	1			IR Remote	1		
WIFI Antenna	4						
Other							
Working Environment	Working	g Temp.	0°C~40°C				
	Working Humidit		10%~90%				